

We're excited to help you manage and grow your Laundromat and Dry Cleaning business with our software and hardware solutions. Below are the various hardware offerings we provide along with specifications and requirements to get them set up.



Sunmi T2s single screen with printer

Specification

- | | |
|--|---|
| <ul style="list-style-type: none">• 15" display• Wi-Fi: 2.4GHz/5GHz• Ethernet: Cat6 cable recommended• Bluetooth: BT2.1/3.0/4.0/5.0, BLE• Processor: Octa-core up to 2.2GHz• Memory: 64GB ROM+4GB RAM• OS: Sunmi OS based on Android 9 | <ul style="list-style-type: none">• Built-in printer: 80mm, thermal printer• USB-A ports: 5• Dimensions:<ul style="list-style-type: none">◦ Height: 16.02"◦ Footprint: 7.5" square |
|--|---|



Sunmi M2 Max Tablet

Specification

- | | |
|--|---|
| <ul style="list-style-type: none">• Display 10.1" FHD• Wi-Fi 2.4GHz/5GHz• Bluetooth 5.0 BLE• Processor Kryo-260 octa-core, 2.2GHz• Memory Config 1: 3GB RAM + 32GB ROM• OS SUNMI OS (*based on Android 9.0)• Ports 1* Type-C, OTG supported 1* Audio jack, supports POGO Pin | <ul style="list-style-type: none">• Dimensions (L*W*H)
245.6*164.4*9.9mm (thinnest)• Total Weight Standard Version: 673g• Power Adapter Input: AC 100~240V
Output: DC 5V/2A |
|--|---|



Sunmi D3 Pro single screen without printer

Specification

- 15.6" FHD Display,
- Wi-Fi: 2.4GHz/5GHz
- Bluetooth: BT 5.0, BLE
- Processor: Qualcomm hexa-core up to 2.4GHz
- Memory: 1*MicroSD (TF card)
- Up to 1TB supported
- OS: SUNMI OS (based on Android 13)
- Ports: 1*USB typeA 3.0 port, 2*USB typeA 2.0 port, 1*RJ11 serial port, 1*RJ12 cash drawer port, 1*RJ45 LAN port, 1*audio jack, 1*power port, 1*USB typeC 2.0 port, 1*MicroUSB debug port
- Dimensions (L*W*H) 380mm*195mm*310mm
- Weight D3 PRO: 4.5kg



Sunmi Cloud Printer

Specification

- Printing Method: Thermal
- Bluetooth Protocol Supported: BLE, SPP, IBEACON Frequency Band: 2.4GHz
- Printing Paper Paper Type: Thermal paper Paper Width :80mm Paper Thickness: 0.008 ~ 0.075mm Paper Roll Outer Diameter: 80mm
- Ethernet Port: RJ45
- Power Input Working Voltage: DC 24V/2.5A Port: DIN 4P
- Ports Cash Drawer: RJ12 24V/1A USB: TypeC USB 2.0
- Dimensions 130mm(L)×130mm(W)×130mm(H)
- Weight 855g (without paper)



Netum Scanner

Specification

- Wired, USB connection
- Product Dimensions 2.95 x 3.34 x 6.89 inches
- Item Weight 12.3 ounces



Netum Scanner Base/Holder

Specification

- Assembly required
- Product Dimensions 8.35 x 6.02 x 2.24 inches
- Item Weight 12 ounces



Stripe BBPOS WisePOS E card reader

Specification

- 5" display
- Wi-Fi (2.4GHz/5GHz) or Ethernet ready (ethernet dock sold separately)
- Includes USB-A, 2A wall charger
- Wi-Fi requirements:
 - WPA or WPA2 network
 - Password protected network
- Magstripe, Chip (EMV), Contactless (NFC)



APG Arlo cash drawer

Specification

- Dimensions: W13.2" x L13.5" x H3.5"
- Weight: 12 lbs
- Uses RJ45 male to RJ12 male cable for connecting to the receipt printer
- Till: 4 Bill x 5 Coin



Mettler Toledo BC60 scale

Specification

- Dimensions: W13.9" x L12.3" x H3"
- Weight: 22 lbs
- Capacity: 150 lbs
- Platter: Stainless steel
- Serial output capable



Star Micronics SP742ME ethernet printer (for Dry Cleaning)

Specification

- | | |
|--|---|
| <ul style="list-style-type: none">• USB connectivity• Dimensions: W6" x L6.3" x H9.65"• Weight: 7.1 lbs• Print method: Impact | <ul style="list-style-type: none">• Paper: W3" (Wet-Strength Blank Tag Rolls) |
|--|---|



Zebra ZD421 Sticker Printer

Specification

- | | |
|---|--|
| <ul style="list-style-type: none">• USB connectivity• Power cord• Product Dimensions 12 x 10 x 9 inches | <ul style="list-style-type: none">• Item Weight 3.6 pounds• Paper: 2.25" X 4" Direct Thermal Labels |
|---|--|



Cents scale adapter

Specification

- | | |
|--|---|
| <ul style="list-style-type: none">• Proprietary Cents product• Wi-Fi: 2.4GHz• Wi-Fi requirements:<ul style="list-style-type: none">◦ 2.4GHz Wi-Fi network◦ Password protected Wi-Fi network | <ul style="list-style-type: none">• Hardwired via DB9 cable to a variety of scales (link compatible scales)• Plugs in to standard power outlet via wall-wart power adapter |
|--|---|



TP-Link AX6000 WiFi 6 router

Specification

- | | |
|---|---|
| <ul style="list-style-type: none">• Interfaces: Wi-Fi, Ethernet, USB• Wi-Fi: 2.4 GHz/5 GHz• Speed: Up to 4804Mbps on 5GHz• Mesh network compatible | <ul style="list-style-type: none">• Ethernet Ports: 9• Dimensions: W10" x L12" x H4"• Weight: 3.5 lbs |
|---|---|